

Data SnapShot - Charge

† Modified on 07/11/2025 5:42 pm EDT

Charge

denoted below are the specific **Charge** and **Debit** (claim line item) data items and their associated data type to assist with processing a data snapshot.

Field	Description	Values
TRANID	Unique identifier for the charge/debit	Numeric - 8 or 9 digits
AMOUNT	The amount (Unit Price multiplied by Units) of the charge/debit.	Monetary
BALANCE	The balance (how much is still owed) of the charge/debit.	Monetary
BILLTO	The current status of the charge or debit	For Default (BILLTO) Charge Statuses visit our Default Charge Statuses Help Article
CLAIMID	The claim # the charge/debit is associated with. Note: Account debits not associated with any particular claim will have '10000000' in this field. Foreign key to SEQNO in Claim.	Numeric - 8 digits
CLAIMLOC	The ID of the payer that the charge is currently being billed to. Foreign key to the SEQNO column in Payer (not applicable for claimloc '0')	Numeric - 8 digits

DELETED	Whether the charge/debit has been deleted	0: Not deleted 1: Deleted
DRUG_CODE_FORMAT	Drug Code Format	N1: 4-4-2 N2: 5-3-2 N3: 5-4-1 N4: 5-4-2 EN: EAN/UCC - 13 EO: EAN/UCC - 8 HI: HIBC Supplier Labeling Standard Primary Data Message ON: Customer Order Number UK: GTIN 14-digit Data Structure UP: UCC-12
DRUGMEASURE	Drug Measurement Units	0: Unit (UN) 1: Gram (GR) 2: Milliliter (ML) 3: International (F2 4: Milligram (ME)
ELECTRONIC	The unit price of the charge/debit.	<i>Monetary</i>
ENTERED	The date/time that the charge/debit was entered into the system.	<i>Date/Time</i>
FROMDATE	The "From" date of service of the charge/debit.	<i>Date</i>
MOD1	The first modifier on the charge (M1).	<i>Alphanumeric - Up to 2 characters</i>

MOD2	The second modifier on the charge (M2).	Alphanumeric - Up to 2 characters
MOD3	The third modifier on the charge (M3).	Alphanumeric - Up to 2 characters
MOD4	The fourth modifier on the charge (M4).	Alphanumeric - Up to 2 characters
PAYOR1	The ID of the primary payer set on the charge's claim. (This is not necessarily the payer that the charge was billed to. See CLAIMLOC for the charge's current payer) Foreign key to the SEQNO column in Payer.	Numeric - 8 digits
PAYOR2	The ID of the secondary payer set on the charge's claim. (This is not necessarily the payer that the charge was billed to. See CLAIMLOC for the charge's current payer) Foreign key to the SEQNO column in Payer.	Numeric - 8 digits
PAYOR3	The ID of the tertiary payer set on the charge's claim. (This is not necessarily the payer that the charge was billed to. See CLAIMLOC for the charge's current payer) Foreign key to the SEQNO column in Payer.	Numeric - 8 digits
STATUS	The ID of the charge status, if the BILLTO value is Z. Foreign key to the STATUS column in Charge Status.	Numeric text - 8 digits

TODATE	The "To" date of service of the charge/debit.	<i>Date</i>
--------	---	-------------

--	--	--